



USPAT ☒ Plurals

Default operator: ☐ Highlight all hit terms initial

(identify or [redacted]
identification) with
sponge [redacted]

Search [] [] [Browse] [Queue]
DBs: USPAT ☒ Plurals
Default operator: ☒ Highlight all hit terms initial
(identify or
identification) with
sponge

EAST - [956651.1.wsp:1]

File View Edit Tools Window Help

☐ Drafts
☐ Pending
☒ Active

- L1: (11500) label with system
- L2: (324757) tool
- L3: (3018) 1 and 2
- L4: (59) label with system with tool
- L5: (565) label with system with (use or purpose)
- L6: (1029) label with system with (identify or identification)
- ocr L7: (34) label with system with (identify or identification)
- L8: (73357) 220/\$.ccls.
- L9: (34) 1 and 8
- L10: (70946) 206/\$.ccls.
- L11: (202) 1 and 10

☐ Failed
☐ Saved

Search

DBs: ☒ Plurals

Default opes ☒ Highlight all hit terms initially

1 and 10

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6581770 B1	20030624	9	Small component parts filing and inventory control system	206/425	224/219
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6579271 B1	20030617	18	Patient discharge system and method for self-care of a	604/355	206/440; 206/570;
3	<input type="checkbox"/>	<input type="checkbox"/>	US 6573200 B2	20030603	6	Automatic printing of caution labels for	438/800	206/725; 206/726;
4	<input type="checkbox"/>	<input type="checkbox"/>	US 6550227 B2	20030422	25	Robotic crate fastening system	53/485	206/459.5; 53/467;
5	<input type="checkbox"/>	<input type="checkbox"/>	US 6520325 B1	20030218	16	Endless belt mercantile storage and display system,	206/303	206/490
6	<input type="checkbox"/>	<input type="checkbox"/>	US 6520323 B1	20030218	18	Packaging system for extending the shelf life of	206/213.1	426/129; 53/434
7	<input type="checkbox"/>	<input type="checkbox"/>	US 6516852 B1	20030211	12	Compact disc labeling apparatus and method	156/391	156/556; 156/580;
8	<input type="checkbox"/>	<input type="checkbox"/>	US 6516639 B1	20030211	16	Storage case	70/57.1	206/1.5;

